

# ADG 210

Doosan  
Mecc Alte  
D+ &



ISO8528

GC, ) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$#/( #

! ž \$ < nž7cg 1 \$ž

	"	"	"	"	
400/230	210.00	168.00	190.00	152.00	274.00

fPQDŁ

GC, ) &

fDF DŁ

ž& ( GC " \$(\*"

GC, ) & ž

%\$!

%

%&

## ENGINE

## ALTERNATOR

## WISE ACCESSORIES

## CONTROL SYSTEM

# ADG 210

Doosan  
Mecc Alte  
D'+' &''

1

Manufacturer	Doosan	
Model	GE 12TI	
	1500 d/dk	% &"\$ "Q DQ
	L	262.0000
		123 x 155
		10,5 : 1
	fl # ı	rpm
		1500
Fuel Consumption	m <sup>3</sup> /h.	43
Gas Pressure	mbar	70 - 300
Oil Capacity	L	25
Water Capacity	L	21
Absorbed Air Discharge	m <sup>3</sup> /dk.	780
Disposal Air	m <sup>3</sup> /san	4,50
	m <sup>3</sup> /dk.	1380
	° C	545

2

Manufacturer	Mecc Alte	
	ECO38 - 1SN	
	"	180
Cos fi	0,80	
	3	
	400/230	
5_ia	A	259


3

	"	"	"	"
	2250	2950	1300	1710
	"	"	"	"
AK 61	3550	4000	1353	1882

# ADG 210

Doosan  
Mecc Alte  
D+ &

• D+ &



• Devices

"8G9ž + &\$ž ) 5ž&&\$#(&(\$

• Structure And Paint

• Montage

• Generator Control Unit

"8G9+' &\$ž &) \$ ž "8G9+' &\$ž "8G9+' &\$ž "8G9+' &\$ž

% &l '\*(' žFG' &žFG(, )ž



# ADG 210

Doosan  
Mecc Alte  
D+ & "



1

2

		AK 61
	mm.	1353
	mm.	4000
	mm.	1882