

ADG 428

Doosan
Mecc Alte
D+ & T



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	
2000/14/EC	&\$\$\$#/(#

! ž \$ < nž 7 cg 1 \$ž

	"	"	"	"	
400/230	428.00	342.00	387.00	309.00	559.00

fP GDŁ

GC ;) &

GC ;) & ž

fDF DŁ

%\$!

%

%&

ž&(

GC " \$(**

!

ENGINE

ALTERNATOR

WISE ACCESSORIES

CONTROL SYSTEM

!
!
!
!
!
!
!
!
!
!
!
!

!
!
!
!
!

fl

Ł

!
!
!
!
!
!
!
!
!
!
!

fP \$\$\$ \$\$\$

fl

Ł

!

ADG 428

Doosan
Mecc Alte
D+ &''

Manufacturer	Doosan	
Model	GV222TI	
	1500 d/dk	' ,) "\$ " 0 % * "\$ < DQ
	L	523.0000
		128 x 142
		10,5 : 1
	fl # ı	rpm
		1500
Fuel Consumption	m ³ /h.	95,2
Gas Pressure	mbar	70 - 300
Oil Capacity	L	73
Water Capacity	L	285
Absorbed Air Discharge	m ³ /dk.	30
Disposal Air	m ³ /san	670,00
	m ³ /dk.	48
	° C	490


Manufacturer	Mecc Alte	
	ECO40 - 1S	
	"	400
Cos fi	0,80	
	3	
	400/230	
5_ıa	A	578

	"	"	"	"
	4730	3250	1650	2050
	"	"	"	"
AK 86	5850	5800	2000	2530

ADG 428

Doosan
Mecc Alte
D+ &

• D+ &



• Devices

"8G9ž + &\$ž) 5ž&&\$#(\$

• Structure And Paint

• Montage

• Generator Control Unit

"8G9+' &\$ž
) \$ ž
"8G9+' &\$ž
"8G9+' &\$ž
ž

% &l '*(' ž
žFG' &žFG(,)ž

ADG 428

Doosan
Mecc Alte
D+ &

Indicator

fb@z@Bt
f@%&!@ t

" " " "
"ž" "ž" " "

fb@z@Bt

Protection

971

#

#

#

#

Optional Properties

f&) (, t
f&%) +t
f&% \$t

Standards

6G'9B '* \$-) \$

6G'9B '*%\$\$\$!*&

6G'9B '*%\$\$\$!*('

#

Electronic Charge Equipment

ž " % , !&* \$ " "ž

) ž ž
&(\$)


GA 8

!&(" ž

ADG 428

Doosan
Mecc Alte
D+ & "

5?; *!



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

1

2

		AK 86
	mm.	2000
	mm.	5800
	mm.	2530